

PATENT APPLICATION TRANSMITTAL LETTER

Attorney Docket No.
TPP:628 US

TO THE COMMISSIONER OF PATENTS AND TRADEMARKS:

Transmitted herewith for filing is the patent application of HARSH GOPAL

for FOOD CASING RELEASE COATING COMPRISING POLYGLYCERYL ESTERS

Enclosed are:

☒ Certificate of Mailing with Express Mail Mailing Label No. EE739633144US

☐ _____ sheets of drawing(s)

☐ a certified copy of a _____ application

☒ Declaration and Power of Attorney (unsigned)

CLAIMS AS FILED


For	Number Filed	Number Extra	Rate	Fee
TOTAL CLAIMS	15 - 20 =	0	x \$18	\$ 0.00
INDEPENDENT CLAIMS	1 - 3 =	0	x \$78	\$ 0.00
BASIC FEE				\$ 760.00
TOTAL FILING FEE				\$ 760.00

☒ Please charge my Deposit Account No. 20-0339 in the amount of \$760.00. A duplicate copy of this sheet is enclosed.

☐ A check in the amount of \$ _____ to cover the filing fee is enclosed.


☒ The Commissioner is hereby authorized to charge any additional fees which may be required at any time during the prosecution of this application without specific authorization, including those which may be due under 37 C.F.R. 1.16, 1.17, 1.18 and 1.20, or credit any overpayment to Deposit Account No. 20-0339. A duplicate copy of this sheet is enclosed.

Dated: January 11, 1999


Michael L. Dunn
Attorney for Applicant(s)
Registration No. 25,330
P.O. Box 96
Newfane, New York 14108
Telephone: (716) 433-1661

MLD/csc
cc: R. Kearby

01/11/99



14:525 U.S. PTO

09/228103
JCS11 U.S. PTO
06/11/17

09228103-011199

**FOOD CASING RELEASE COATING COMPRISING
POLYGLYCERYL ESTERS**

Background of the Invention

This invention relates to food casings and more particularly relates to food casings that are coated with a composition to assist in release of the food casing from contained food product. Many coating compositions are known for affecting the release characteristics of food casings from contained food product such as sausage meat. For example, cationic resins and proteins have been used to increase adhesion during drying of sausage product so that the food casing shrinks with the sausage product yet to provide insufficient adherence to prevent easy removal when the contained sausage product is to be used. Other compositions such as carboxymethyl cellulose have been used to provide easy release for "skinless" sausage product. In such product, meat contained in the food casing is cooked and the casing is removed prior to sale. In the case of fiber reinforced food casing (fibrous casing), an aqueous emulsion of alkylketene dimer (AKD) has been used to provide release characteristics. At least some elevation of temperature and pH have been required to cure a coating containing it. AKD has thus been applied in a bicarbonate/carbonate buffer at ambient temperature and cure is effected during heat drying of the casing. Machine speeds to make food casing have continuously increased to improve efficiency of manufacture, as a result time available for cure of AKD has been reduced. Unfortunately, alkylketene dimer is not stable at temperatures and pH sufficiently elevated to obtain rapid cure and uncured and ineffective release coatings containing AKD have resulted.

Brief Description of the Invention

In accordance with the invention, a food casing is provided which comprises an internal surface coating of a dried aqueous emulsion comprising at least one polyglyceryl ester. The polyglyceryl ester in the coating covers the internal surface of the food casing in an amount of from about 200 to about 1200 mg per square meter. The polyglyceryl ester may be almost any polyglyceryl ester having from about 1 to about 4 ester groups formed with carboxylic acids having from about 6 to about 18 carbon atoms. The polyglyceryl ester may for example be selected from triglyceryltetraoleate and triglycerylmonooleate.

Food casings, especially fibrous food casings, have a smoother surface coating and are more flexible upon drying. Unlike AKD, the coating requires no curing.

Detailed Description of the Invention

Food casings suitable for receipt of the release coating include both fibrous and unreinforced casings of both seamed and unseamed varieties. The food casing material may be any film forming material such as collagen or thermoplastic but is generally of a formed polysaccharide such as cellulose. The cellulose may be of a derivatized or non-derivatized form.

The aqueous emulsion may be applied to the internal surface of the food casing by any suitable means, e.g. bubble coating or spraying. The aqueous emulsion usually contains from about 1 to about 5 weight percent polyglyceryl ester. The aqueous emulsion may additionally contain other components such as up to about 2 weight percent of a water soluble cellulose derivative, e.g. methylcellulose, hydroxymethylcellulose, hydroxypropylcellulose, and hydroxypropylmethylcellulose.

The aqueous emulsion may additionally contain up to about 5 weight percent of a water insoluble low viscosity oil. Such oil may for example be selected from soybean oil, cottonseed oil, mineral oil, animal derived oil, and silicon oil.

The aqueous emulsion may further include from about 0.1 to about 2 weight percent of an emulsifier, such as alkyl sulfonates, polysorbates, alkylene glycol esters, and ethoxylated monoglycerides or ethoxylated diglycerides.

The emulsion may also contain from about 10 to about 20 weight percent of a polyhydric alcohol, such as glycerin and propylene glycol.

The dried coating includes polyglyceryl ester in an amount of from about 200 to about 1200 mg per square meter and preferably from about 400 to about 1000 mg per square meter of internal food casing surface.

An example of a preferred composition for use as a coating in accordance with the invention would be: from about 1 to about 5 weight percent triglyceroltetraoleate, about 0 to about 2 weight percent triglycerolmonooleate, about 0 to about 2 weight percent of hydroxypropylmethylcellulose, about 1 to about 5 weight percent of a soybean-cotton seed oil blend, about 0.2 to about 1 weight percent of ethoxylated sorbitantristearate and from about 10 to about 20 weight percent glycerin and the balance being water.

The following examples serve to illustrate and not limit the present invention. Unless otherwise indicated, all parts and percentages are by weight.

Example 1.

A clear food casing is internally treated with an alkali liquid smoke to an add on of about 50 percent and treated with about 50 mg per square meter of ketene dimer

release coating (higher add on tends to increase meat adhesion). This treated food casing was used as a first control, designated below as control #1.

A second control comprising the same casing as the first control was made by further adding triglycerol tetraoleate to the release coating of control #1. The second control is designated below as control #2.

A food casing, having a release coating in accordance with the present invention, was made by coating a clear casing, as in control #1 without ketene dimer, with an aqueous suspension containing about 2 percent triglyceroltetraoleate, about 0.5 percent triglycerolmonooleate, about 0.5 percent hydroxypropylmethycellulose, about 2.5 percent of a mixture of soybean and cotton seed oil, about 0.5 percent of ethoxylated sorbitantristearate and about 15 percent glycerin to obtain an add on of about 800 mg/square meter of surface area of casing of polyglyceryl ester components in the suspension. This release casing according to the invention is designated below as "Invention".

A turkey meat product was stuffed into each of Control #1, Control #2 and Invention casings. The stuffed chub products were then placed on horizontal racks and thermally processed in a batch smokehouse. No breakage of any casings occurred.

The finished chub products were then slit longitudinally with a finger knife, grabbed at each end and turned over popping the cured meat chub out of the casing. The chubs were expected to fall out of the casing when turned over as in a high speed process. The operator was asked to rate each of the controls and the invention on a

scale of 1 to 100, where 1 = didn't peel to 100 = perfect peel. The results are set forth in table 1.

Table 1

	Control #1	Control #2	Invention
Release	10%-50%	10%-40%	95%
Meat Pull	None	None	None
Fuzz	Little	Very Little	None
Operator rating	50	55	95

Table 1 confirms that the release coating of the invention is superior.

Example 2.

Example 1 was essentially repeated except that a pumpable ham and water product was used as the meat stuffed into the food casings that were then provided with clipped ends. The hams were then thermally processed and cooled. Color was good on all products. Release characteristics were tested by applying a consistent compressive force to both ends of a chub and observing the percentage of the casing's surface area to release from the meat. The results are shown in Table 2.

Table 2

	Control #1	Control #2	Invention
Release	50%	55%	95%

Again the table shows the superior characteristics of the release coating of the invention.

WHAT IS CLAIMED IS:

1. A food casing comprising an internal surface coating of a dried aqueous emulsion comprising at least one polyglyceryl ester.
2. The food casing of Claim 1 wherein the coating comprises from about 200 to about 1200 mg per square meter of internal surface of said polyglyceryl ester.
3. The food casing of Claim 2 wherein the polyglyceryl ester is selected from the group consisting of triglyceryltetraoleate and triglycerylmonooleate.
4. The food casing of Claim 2 wherein the aqueous emulsion contains from about 1 to about 5 weight percent polyglyceryl ester.
5. The food casing of Claim 4 wherein the aqueous emulsion additionally contains up to about 2 weight percent of a water soluble cellulose derivative.
6. The food casing of Claim 5 wherein the water soluble cellulose derivative is selected from the group consisting of methylcellulose, hydroxymethylcellulose, hydroxypropylcellulose, and hydroxypropylmethylcellulose.
7. The food casing of Claim 6, wherein the aqueous emulsion additionally contains a water insoluble low viscosity oil.
8. The food casing of Claim 7, wherein the oil is selected from the group consisting of soybean oil, cottonseed oil, mineral oil, animal derived oil, and silicon oil.

9. The food casing of Claim 2 wherein the aqueous emulsion further comprises from about 0.1 to about 2 weight percent of an emulsifier.

10. The food casing of Claim 8 wherein the aqueous emulsion further comprises from about 0.1 to about 2 weight percent of an emulsifier.

11. The food casing of Claim 2 wherein the emulsion contains from about 10 to about 20 weight percent of a polyhydric alcohol.

12. The food casing of Claim 10 wherein the emulsion contains from about 10 to about 20 weight percent of a polyhydric alcohol.

13. The food casing of Claim 11 wherein the polyhydric alcohol is selected from the group consisting of glycerin and propylene glycol.

14. The food casing of Claim 12 wherein the polyhydric alcohol is selected from the group consisting of glycerin and propylene glycol.

15. The food casing of Claim 2 wherein the coating comprises from about 400 to 1000 mg per square meter of polyglyceryl ester.

**FOOD CASING RELEASE COATING COMPRISING
POLYGLYCERYL ESTERS**

Abstract of the Disclosure

A food casing having an internal surface coating of a dried aqueous emulsion including at least one polyglyceryl ester. The polyglyceryl ester in the coating covers the internal surface of the food casing in an amount of from about 200 to about 1200 mg per square meter. The polyglyceryl ester may be almost any polyglyceryl ester having from about 1 to about 4 ester groups formed with carboxylic acids having from about 6 to about 18 carbon atoms. The polyglyceryl ester may for example be selected from triglyceryltetraoleate and triglycerylmonooleate. The food casing has superior meat release characteristics in certain applications.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

English Language Declaration

TPP:628 US

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

FOOD CASING RELEASE COATING COMPRISING POLYGLYCERYL ESTERS

the specification of which

(check one)

☒ **is attached hereto.**

☐ **was filed on _____ as Application Serial No. _____
and was amended on _____**

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

ENGLISH LANGUAGE DECLARATION

Prior Foreign Application(s)

**Priority
Claimed**

(Number)

(Country)

(Day/Month/Year Filed)

☐ ☐
Yes No

(Number)

(Country)

(Day/Month/Year Filed)

☐ ☐
Yes No

(Number)

(Country)

(Day/Month/Year Filed)

☐ ☐
Yes No

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)

(Filing Date)

(Status)

(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)

(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

03263103.011199

ENGLISH LANGUAGE DECLARATION

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application, including all divisionals and continuations thereof, and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Michael L. Dunn, Registration No. 25,330

Howard M. Ellis, Registration No. 25,856

SEND CORRESPONDENCE TO:

Dunn & Associates

P.O. Box 96

Newfane, New York 14108

DIRECT ALL TELEPHONE CALLS TO:

Michael L. Dunn, Telephone No. (716) 433-1661

Full name of sole or first inventor

Harsh Gopal

Inventor's signature

Date

Residence

29 Sheral Drive, Danville, Illinois 61832

Citizenship

United States of America

Post Office Address

Same as above

Full name of second joint inventor, if any

Inventor's signature

Date

Residence

Citizenship

Post Office Address